



FERTI-SPRED

SPREADER-ACTIVATOR Non-Foaming for Agricultural Sprays

GENERAL USE INFORMATION – READ ENTIRE LABEL BEFORE USING THIS PRODUCT

READ ENTIRE LABEL. USE STRICTLY IN ACCORDANCE
WITH CAUTIONS AND DIRECTIONS.

DIRECTIONS FOR USE

**CONSULT YOUR LOCAL FERTIZONA REPRESENTATIVE OR OTHER AGRICULTURAL
SPECIALIST FOR SPECIFIC CROP RECOMMENDATIONS.**

Rates of FERTI-SPRED may vary with the conditions of application. Use just enough to form a uniform film.

ACARACIDES, FUNGICIDES AND INSECTICIDES: Use 2 to 8 fluid oz. per 100 gals. of spray.

HERBICIDES, DEFOLIANTS AND DESICCANTS: Use ½ to 3 pts. per 100 gals. of spray.

LIVESTOCK SPRAYS: Use 4 to 8 fluid oz. per 100 gals. of spray.

SOIL STERILANTS: For top absorption, use 1% of total spray.

NOTICE

READ ENTIRE LABEL BEFORE USE,
IF TERMS ARE UNACCEPTABLE RETURN AT ONCE – UNOPENED.

Fertilizer Company of Arizona, Inc. warrants that this product conforms to the chemical description on the label thereof and is reasonably fit for the purposes stated on such label only when used in accordance with the directions under normal use conditions. It is impossible to eliminate all risks inherently associated with the use of this product. Crop injury, ineffectiveness, or other unintended consequences may result because of such factors as weather conditions, presence of other materials, or the manner of use or application, all of which are beyond the control of Fertilizer Company of Arizona, Inc. In no case shall Fertilizer Company of Arizona, Inc. be liable for consequential, special or indirect damages resulting from the use or handling of this product. The buyer shall assume all such risks. Fertilizer Company of Arizona, Inc. makes no warranties of merchantability or fitness for a particular purpose nor any other express or implied warranty except as stated above.



Distributed By:

FERTILIZER COMPANY OF ARIZONA, INC.

2850 S. Peart Road • Casa Grande, Arizona 85222 • (520) 836-7477

PRINCIPAL FUNCTIONING AGENTS:

Alkyl polyoxyalkylene ether and compounded silicone	20%
Constituents Ineffective as spray adjuvant	80%
Total	100%

MSDS available upon request.

NET WEIGHT:

8.51 LBS. PER GAL.

Freezing Temperature 40° F

1 Gals. (3.785 L), 8.51 lbs. (3.855 kg)

STORAGE AND DISPOSAL

Do not use aluminum or copper (including brass or bronze) components in any handling or storage equipment for this product. Mild steel components should not be used except for emergency, or temporary, short-term service. Use stainless steel (316 or better), polyolefin (polyethylene, polypropylene, etc.), fiberglass, or other high-quality acid-resistant plastic materials. Check with equipment manufacturer for compatibility of components prior to use with this product.

STORAGE INSTRUCTIONS: KEEP PRODUCT IN ORIGINAL CONTAINER. DO NOT PUT CONCENTRATED OR DILUTED PRODUCT INTO FOOD OR DRINK CONTAINERS. DO NOT STORE AT TEMPERATURES BELOW 32° F. AVOID PROLONGED STORAGE AT TEMPERATURES BELOW 20° F. SINCE CRYSTALS MAY FORM WHICH ARE DIFFICULT TO DISSOLVE.

CONTAINER DISPOSAL: Do not contaminate water, food, or feed by storage or disposal. Triple rinse (or equivalent) and add rinsate to spray tank, then offer for recycling or reconditioning, or puncture and dispose of according to state and local authorities. If burned, stay out of smoke.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Causes eye irritation. Avoid contact with eyes, skin, or clothing. Wear goggles, face shield or safety glasses. Avoid breathing spray mist. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash clothing before reuse.

Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application.

ENVIRONMENTAL HAZARDS

Do not contaminate water when disposing of equipment washwaters.

FIRST AID

IF IN EYES: Flush eyes with plenty of water. Call a physician if irritation persists.

IF ON SKIN: Wash with plenty of soap and water. Get medical attention if irritation persists.

IF SWALLOWED: Call a physician or Poison Control Center. Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger, or if available by administering syrup of ipecac. If person is unconscious, DO NOT give anything by mouth and DO NOT induce vomiting.

IF INHALED: Remove victim to fresh air. If not breathing, give artificial respiration, preferably mouth-to-mouth. Get medical attention.

**CAUTION
KEEP OUT OF REACH OF CHILDREN**